

# **1 APR::Util - Perl API for XXX**

## 1.1 Synopsis

```
use APR::Util ();
```

META: to be completed

## 1.2 Description

META: to be completed

## 1.3 API

APR::Util provides the following functions and/or methods:

### *1.3.1 filepath\_name\_get*

META: Autogenerated - needs to be reviewed/completed

return the final element of the pathname

```
$ret = filepath_name_get($pathname);
```

- **arg1: \$pathname (string)**

The path to get the final element of

- **ret: \$ret (string)**

the final element of the path @remark <PRE> For example: "/foo/bar/gum" -> "gum"  
"/foo/bar/gum/" -> "" "gum" -> "gum" "bs\\path\\stuff" -> "stuff" </PRE>

### *1.3.2 password\_get*

META: Autogenerated - needs to be reviewed/completed

Display a prompt and read in the password from stdin.

```
$ret = password_get($prompt, $pwbuf, $bufsize);
```

- **arg1: \$prompt (string)**

The prompt to display

- **arg2: \$pwbuf (string)**

Buffer to store the password

- **arg3: \$bufsize (number)**

The length of the password buffer.

- **ret: \$ret (integer)**

## 1.4 See Also

mod\_perl 2.0 documentation.

## 1.5 Copyright

mod\_perl 2.0 and its core modules are copyrighted under The Apache Software License, Version 1.1.

## 1.6 Authors

The mod\_perl development team and numerous contributors.



## Table of Contents:

1	APR::Util - Perl API for XXX	1
1.1	Synopsis	2
1.2	Description	2
1.3	API	2
1.3.1	filepath_name_get	2
1.3.2	password_get	2
1.4	See Also	3
1.5	Copyright	3
1.6	Authors	3