

1 Apache::Util - Perl API for XXX

1.1 Synopsis

```
use Apache::Util ();
```

META: to be completed

1.2 Description

META: to be completed

1.3 Functions API

`Apache::Util` provides the following functions and/or methods:

1.3.1 format_time

META: Autogenerated - needs to be reviewed/completed

Convert a time from an integer into a string in a specified format

```
$time_str = Apache::format_time($time, $fmt, $gmt, $p);
```

- **arg1: \$time (number)**

The time to convert

- **arg2: \$fmt (string)**

The format to use for the conversion

- **arg3: \$gmt (integer)**

Convert the time for GMT?

- **arg4: \$p (APR::Pool)**

The pool to allocate memory from

- **ret: \$time_str (string)**

The string that represents the specified time

1.3.2 escape_path

META: Autogenerated - needs to be reviewed/completed

convert an OS path to a URL in an OS dependant way.

```
$path = Apache::escape_path($path, $p, $partial);
```

- **arg1: \$path (string)**

The path to convert

- **arg2: \$p (APR::Pool)**

The pool to allocate from

- **arg3: \$partial (integer)**

if set, assume that the path will be appended to something with a '/' in it (and thus does not prefix "/")

- **ret: \$path (string)**

The converted URL

1.4 See Also

mod_perl 2.0 documentation.

1.5 Copyright

mod_perl 2.0 and its core modules are copyrighted under The Apache Software License, Version 1.1.

1.6 Authors

The mod_perl development team and numerous contributors.

Table of Contents:

1	Apache::Util - Perl API for XXX	1
1.1	Synopsis	2
1.2	Description	2
1.3	Functions API	2
1.3.1	format_time	2
1.3.2	escape_path	2
1.4	See Also	3
1.5	Copyright	3
1.6	Authors	3